

540,185

Rec'd PAT/PTD 20 JUN 2005

10/540185

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
8 July 2004 (08.07.2004)


PCT

(10) International Publication Number
WO 2004/057875 A1

- (51) International Patent Classification⁷: **H04N 7/24**
- (21) International Application Number: **PCT/IB2003/005956**
- (22) International Filing Date:
10 December 2003 (10.12.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/435,238 20 December 2002 (20.12.2002) US
- (71) Applicant (for all designated States except US): **KONINKLIJKE PHILIPS ELECTRONICS N.V. [NL/NL]**;
Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).
- (72) Inventor; and
- (73) Inventor/Applicant (for US only): **HARS, Laszlo [US/US]**; P.O. Box 3001, Briarcliff Manor, NY 10510-8001 (US).
- (74) Common Representative: **KONINKLIJKE PHILIPS ELECTRONICS N.V.**; Intellectual Property & Standards, c/o Slobod, Jack, D., P.O. Box 3001, Briarcliff Manor, NY 10510-8001 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE,

[Continued on next page]

(54) Title: **HIERARCHICAL SCHEME FOR SECURE MULTIMEDIA DISTRIBUTION**



(57) Abstract: Various quality versions of an electronic content are defined, and one or more distortion algorithms (22, 32) that are executable to generate a lower quality version of the electronic content by a distortion of the highest quality version (21, 31) are defined. Each quality version is selectively assigned a content key (CK) whereby an electronic content player (34, 70) will have the appropriate information when decrypting, decoding, and/or distorting the highest quality version (21, 31) of the electronic content.

WO 2004/057875 A1



SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

Declaration under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

HIERARCHICAL SCHEME FOR SECURE MULTIMEDIA DISTRIBUTION

The present invention generally relates to a secure distribution of electronic content in various forms (e.g., audio, video, text, and images). The present invention specifically
5 relates to a method of securely distributing electronic content based on the highest quality version of the electronic content.

Current technology, as related to the quality of electronic content, is approaching the day when distributed electronic content will be an exact duplication of the original content upon which the electronic content is based. As this technology grows, the
10 production of content players will involve the development of new or improved components that are needed to play the electronic content. However, every consumer will not be able to afford to buy the latest content player or to upgrade his or her current content player. Moreover, some consumers will be satisfied with a lower quality version of the electronic content. Therefore, there is a need for a hierarchical scheme for a distribution of
15 various quality versions of electronic content.

The present invention provides a method directed to a secure distribution of various types of electronic content (e.g., audio, video, images, text, etc.) over various types of mediums (e.g., removable disks, networks, etc.) that interface with various types of content players (e.g., recorders, personal computers, etc.).

20 One form of the present invention is a method of distributing various quality versions of an electronic content. First, each quality version of the electronic content is defined. Second, one or more distortion algorithms executable to generate a lower quality version of the electronic content by a distortion of the highest quality version of the electronic content are defined. Third, each quality version of the electronic content is
25 selectively assigned at least one content key. Fourth, the highest quality version of the electronic content, the distortion algorithm(s) and the content key(s) are distributed in various manners.

A second form of the present invention is an electronic content medium comprising a highest quality version of an electronic content. The electronic content medium further
30 comprises one or more distortion algorithms executable to generate a lower quality version of the electronic content by a distortion of the highest quality version of the electronic content.

A third form of the present invention is an electronic content player comprising a decryption unit operable to decrypt and decode a highest quality version of an electronic content. The player further comprises a distortion unit operable to generate a lower quality version of the electronic content by a distortion of the decrypted and decoded highest
5 quality version of the electronic content.

The foregoing forms as well as other forms, features and advantages of the present invention will become further apparent from the following detailed description of the presently preferred embodiments, read in conjunction with the accompanying drawings. The detailed description and drawings are merely illustrative of the present invention rather
10 than limiting, the scope of the present invention being defined by the appended claims and equivalents thereof.

FIG. 1 illustrates a flowchart representative of one embodiment of an electronic content distribution method in accordance with the present invention;

FIG. 2 illustrates an optical disk in accordance with one embodiment of the present
15 invention;

FIG. 3 illustrates a network in accordance with one embodiment of the present invention;

FIG. 4 illustrates a flowchart representative of one embodiment of an electronic content player production method in accordance with the present invention;

20 FIG. 5 illustrates a flowchart representative of one embodiment of an electronic content player operation method in accordance with the present invention; and

FIG. 6 illustrates an electronic content player in accordance with one embodiment of the present invention.

FIG. 1 illustrates a flowchart 10 representative of an electronic content distribution
25 method of the present invention. During a stage S12 of flowchart 10, each quality version of an electronic content is defined by a conventional electronic content hierarchical scheme known in the art. The number and types of attributes of an electronic content as well as the number of quality versions of the electronic content based on the attributes are without limit. The following TABLE 1 is provided to exemplarily illustrate a set of attributes
30 (color, spatial, resolution, and compression) for an electronic content in video form for nine (9) quality versions of the video based on the set of attributes:

TABLE 1

QUALITY VERSION	COLOR	SPATIAL	RESOLUTION	COMPRESSION
Highest	1	1	1	1
1 st Intermediate	2	1	1	1
2 nd Intermediate	2	2	1	1
3 rd Intermediate	2	2	2	1
4 th Intermediate	2	2	2	2
5 th Intermediate	3	2	2	2
6 th Intermediate	3	3	2	2
7 th Intermediate	3	3	3	2
Lowest	3	3	3	3

In TABLE 1, the highest grade of an attribute is 1 and the lowest grade of an attribute is 3. In the exemplary listing of TABLE 1, the highest quality version includes a grade of 1 for each attribute, the lowest quality version includes a grade 3 for each attribute, and the intermediate quality versions have a quality between the highest quality version and the intermediate quality version. From the exemplary listing of TABLE 1, those having ordinary skill in the art will appreciate the unlimited number and types of attributes of an electronic content as well as the unlimited number of quality versions of the electronic content.

During a stage S14 of the flowchart 10, one or more conventional distortion algorithms as known in the art that are executable to generate a lower quality version of the electronic content by a distortion of the highest quality version of the electronic content are defined. In the exemplary listing of TABLE 1, the distortion algorithm(s) would have to be capable of generating intermediate versions 1-7 as well as the lowest quality version from the highest quality version.

During a stage S16 of the flowchart 10, each quality version is selectively assigned one or more content keys. In one embodiment, the content keys are data blocks including (1) information about the associated quality version that is useable by the distortion algorithm(s), (2) a decryption key for decrypting an encrypted version of the highest quality version, and (3) various legal rights associated with the electronic content, such as, for example, copyrights of the associated quality version. In selectively assigned content

keys to each quality version, one or more factors as would be appreciated by those having ordinary skill in the art can be evaluated during stage S16. For example, in selectively assigning content keys to each quality version of TABLE 1, different content keys are assigned to the highest and intermediate quality versions, but a content key is not assigned to the lowest quality version in view of a desire to provide a free, unencrypted sample of the electronic content.

During a stage S18 of the flowchart 10, the highest quality version, the distortion algorithm(s) and the content key(s) are individually or collectively distributed. The types of mediums for distributing the highest quality version, the distortion algorithm(s) and the content key(s) are without limit. For example, FIG. 2 illustrates a DVD 20 storing an encoded and encrypted highest quality version 21 of a song and a distortion algorithm 22 for distorting the highest quality version 21. A content key associated with a desired quality version of the song can be separately purchased. Also by example, FIG. 3 illustrates a web server 30 storing an encoded and encrypted highest quality version 31 of a video clip, a distortion algorithm 32 for distorting the highest quality version 31, and content keys 33. A user of a computer 34 connected to the web server 30 via the Internet 35 can download the highest quality version 31, the distortion algorithm 32, and a purchased content key 33 to computer 34.

FIG. 4 illustrates a flowchart 40 representative of an electronic content player production method of the present invention. During a stage S42 of the flowchart 40, the distortion algorithm(s) defined in stage S14 (FIG. 1) is installed within an electronic content player. Alternatively and/or concurrently, an interpreter for interpreting a distortion description language produced by a distortion algorithm defined in stage S14 is installed within the electronic content player.

During a stage S44 of the flowchart 40, one or more secret keys are assigned to the content player. The factors involved in the assignment of a secret key to the content player is without limit. To illustrate this point, the following TABLE 2 exemplarily lists a categorization of an optical disk player as related to secret keys:

TABLE 2

1 st CATEGORY	OPTICAL DISK PLAYER: 1 st Secret Key			
2 nd CATEGORY	CD PLAYER: 2 nd Secret Key		DVD PLAYER: 3 rd Secret Key	
3 rd CATEGORY	CD-ROM: 4 th Secret Key	CD-R: 5 th Secret Key	DVD-ROM: 6 th Secret Key	DVD-R: 7 th Secret Key

From TABLE 2, an assignment of a secret key to the optical disk player is dependent upon a categorization of the optical disk player during stage S44.

FIG. 5 illustrates a flowchart 50 representative of an electronic content player operation method of the present invention. To facilitate an understanding of flowchart 50, a description of flowchart 50 will be in conjunction with a description of a DVD player 70 of DVD 20 as illustrated in FIG. 6. During a stage S52 of flowchart 50, a controller 71 of the content player 70 reads a secret key SK and a content key CK provided by a user of the player 70. Controller 71 will reject the keys SK and CK during a stage S56 of flowchart 50 when the secret key is unacceptable (i.e., it is not the secret key assigned to player 70 during stage S44 of FIG. 4) and/or the content key CK is unacceptable (i.e., it is not assigned to any quality version of the electronic content 20). Otherwise, during a stage S58 of the flowchart 50, the controller 71 directs a decryption unit 72 to decrypt and decode the highest quality version 21 (FIG. 2) of DVD 20 in accordance with content key CK. During a stage S60 of the flowchart 50, if applicable in accordance with the content key CK, the controller directs a distortion unit 73 to execute the distortion algorithm 22 and interpret the distortion language in order to generate a lower quality version of the electronic content that corresponds to the content key. The result is the ability of the player 70 to play a desired quality version of the electronic content.

In alternative embodiments, controller 71, decryption unit 72 and distortion unit 73 can be implemented in various other configurations, such as, for example, controller 71 and decryption unit 72 can be integrated, controller 71 and distortion unit 73 can be integrated, and any other configurations as would occur to those having ordinary skill in the art.

Those having ordinary skill in the art will appreciate the applicability of flowchart 50 to other electronic content players, such as, for example, personal computer 34 illustrated in FIG. 3.

5 It is important to note that FIGS. 1-6 illustrate specific applications and
embodiments of the present invention, and is not intended to limit the scope of the present
disclosure or claims to that which is presented therein. Upon reading the specification and
reviewing the drawings hereof, it will become immediately obvious to those skilled in the
art that myriad other embodiments of the present invention are possible, and that such
embodiments are contemplated and fall within the scope of the presently claimed
10 invention.

While the embodiments of the invention disclosed herein are presently considered
to be preferred, various changes and modifications can be made without departing from the
spirit and scope of the invention. The scope of the invention is indicated in the appended
claims, and all changes that come within the meaning and range of equivalents are intended
15 to be embraced therein.

CLAIMS:

1. A method (10) of distributing various quality versions of an electronic content, said method comprising:
 - (S12) defining each quality version of the electronic content;
 - (S14) defining at least one distortion algorithm executable to generate a lower quality version of the electronic content by a distortion of the highest quality version of the electronic content; and
 - (S16) assigning at least one content key to at least one quality version of the electronic content.
2. The method (10) of claim 1, further comprising:
 - (S18) storing the highest quality version of the electronic content on an electronic content medium (20, 30).
3. The method (10) of claim 2, further comprising:
 - (S18) storing at least one distortion algorithm on the electronic content medium (20, 30).
4. The method (10) of claim 1, further comprising:
 - (S18) storing the at least one distortion algorithm on an electronic content player (70).
5. The method (10) of claim 2, further comprising:
 - (S18) storing the at least content key on the electronic content medium (20, 30).
6. The method (10) of claim 1, further comprising:
 - (S18) storing the at least content key on an electronic content player (70).
7. An electronic content medium (20, 30), comprising:
 - a highest quality version (21, 31) of an electronic content; and

at least one distortion algorithm (22, 32) executable to generate a lower quality version of the electronic content by a distortion of said highest quality version of the electronic content.

8. The electronic content medium (20, 30), further comprising:
at least one content key (33) assigned to one of the quality versions of the electronic content.
9. An electronic content player (34, 70), comprising:
a decryption unit (72) operable to decrypt and decode a highest quality version (21) of an electronic content; and
a distortion unit (73) operable to generate a lower quality version of the electronic content by a distortion of the decrypted and decoded highest quality version (21) of the electronic content.
10. The electronic content player (34, 70) of claim 9, further comprising:
a controller (71) operable to direct said decryption unit (71) to decrypt and decode the highest quality version (21) of an electronic content in accordance with a content key (CK) associated with the electronic content.
11. The electronic content player (34, 70) of claim 9, further comprising:
a controller (71) operable to direct said decryption unit (71) to decrypt and decode the highest quality version (21) of an electronic content in accordance with a content key assigned to one of a lower quality version of the electronic content.
12. The electronic content player (34, 70) of claim 9, further comprising:
a controller (71) operable to direct said decryption unit (71) to decrypt and decode the highest quality version (21) of an electronic content in accordance with a content key (CK) associated with the electronic content subsequent to a reception of a secret key assigned to the electronic content player (34, 70).

13. The electronic content player (34, 70) of claim 9, further comprising:
a controller (71) operable to direct said decryption unit (71) to decrypt and decode the highest quality version (21) of an electronic content in accordance with a content key assigned to one of a lower quality version of the electronic content subsequent to a reception of a secret key assigned to the electronic content player (34, 70).




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

INTERNATIONAL SEARCH REPORT

 Internati
 Application No
 PC 03/05956

 A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 H04N7/24

10/540185

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 1 189 432 A (MATSUSHITA ELECTRIC IND CO LTD) 20 March 2002 (2002-03-20) abstract page 2, line 11 - line 13 page 3, line 25 - line 33 page 3, line 45 - line 53 page 4, line 6 - line 12 page 4, line 49 - line 51 page 4, line 57 - page 5, line 5	1,2,4-13
A	-----	3
Y	WO 99/12126 A (AHN CHIE TEUK ; PARK SANG KYU (KR); LIM YOUNG KWON (KR); KOREA ELECTRO) 11 March 1999 (1999-03-11) abstract page 2, line 11 - line 20 page 4, line 16 - line 19	1,2,4-13
A	-----	3
	-/--	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

29 March 2004

Date of mailing of the international search report

06/04/2004

Name and mailing address of the ISA

 European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Fantini, F

INTERNATIONAL SEARCH REPORT

Internatio

plication No

PCT

03/05956

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 912 063 A (MATSUSHITA ELECTRIC IND CO LTD) 28 Apr11 1999 (1999-04-28) abstract column 2, line 41 - line 52 column 7, line 32 - line 37 column 8, line 17 - line 24 column 10, line 28 - line 35 column 11, line 20 - line 26 -----	1-13

INTERNATIONAL SEARCH REPORT

Information on patent family members

International

Application No

PCT 03/05956

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1189432	A	20-03-2002	EP 1189432 A2	20-03-2002
			JP 2002123428 A	26-04-2002
WO 9912126	A	11-03-1999	KR 248404 B1	15-03-2000
			EP 1027680 A1	16-08-2000
			JP 2001515286 T	18-09-2001
			WO 9912126 A1	11-03-1999
			US 6707944 B1	16-03-2004
EP 0912063	A	28-04-1999	CN 1342024 A	27-03-2002
			CN 1342025 A	27-03-2002
			CN 1252675 A	10-05-2000
			DE 69803821 D1	21-03-2002
			DE 69803821 T2	19-12-2002
			DE 69810669 D1	13-02-2003
			DE 69810669 T2	16-10-2003
			DE 69810670 D1	13-02-2003
			DE 69810670 T2	23-10-2003
			EP 1154650 A2	14-11-2001
			EP 1187490 A2	13-03-2002
			EP 0912063 A2	28-04-1999
			JP 3425377 B2	14-07-2003
			JP 11225339 A	17-08-1999
			JP 3425435 B2	14-07-2003
			JP 2002084545 A	22-03-2002
			US 2002090136 A1	11-07-2002
			US 2002136461 A1	26-09-2002
			US 2001048768 A1	06-12-2001
			US 2001001621 A1	24-05-2001
			US 2001001016 A1	10-05-2001